# SAFETY DATA SHEET

**Dismiss® CA Turf Herbicide** 

SDS #: 1466-10-A

**Revision date: 2016-05-26** 

Format: NA Version 1.01



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

**Product Name** Dismiss® CA Turf Herbicide

Other means of identification

Product Code(s) 1466-10-A

**Synonyms** SULFENTRAZONE (FMC 97285):

2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)

methanesulfonanilide (IUPAC name);

N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-

1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)

Active Ingredient(s) Sulfentrazone.

**Chemical Family** Triazolinones

**Alternate Commercial Name** Authority 4; Boral 480 SC; Spartan 4F

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

**Restrictions on Use:** Use as recommended by the label

**Manufacturer Address** 

**FMC** Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

## 2. HAZARDS IDENTIFICATION

# Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Specific target organ toxicity (repeated exposure)

Category 2

**SDS #**: 1466-10-A **Revision date**: 2016-05-26

Version 1.01

### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

#### Warning

### Hazard Statements

H373 - May cause damage to organs through prolonged or repeated exposure



## **Precautionary Statements - Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

P314 - Get medical advice/ attention if you feel unwell

## **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

## Other Information

Very toxic to aquatic life.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# **Chemical Family**

Triazolinones.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	40
Propylene glycol	57-55-6	5-10
Toluene	108-88-3	1-5

Synonyms are provided in Section 1.

# 4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control

center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

**Inhalation** Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

SDS #: 1466-10-A

**Revision date: 2016-05-26** 

Version 1.01

Ingestion If swallowed, do not induce vomiting - seek medical advice Call a poison control center or

doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not induce vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder. Water spray.

Specific Hazards Arising from the

Chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

**Methods for Containment** Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Clean and neutralize spill area, tools and equipment by washing with bleach water and Methods for cleaning up

soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled

prior to recycling or disposal. Dispose of waste as indicated in Section 13.

# 7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces Storage

and sources of ignition. Keep out of reach of children and animals. Store in original

container.

Incompatible products None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Toluene	TWA: 20 ppm	TWA: 200 ppm	IDLH: 500 ppm	Mexico: TWA 50 ppm
(108-88-3)		Ceiling: 300 ppm	TWA: 100 ppm	Mexico: TWA 188 mg/m <sup>3</sup>
			TWA: 375 mg/m <sup>3</sup>	_

**SDS #**: 1466-10-A **Revision date**: 2016-05-26

**Version** 1.01

_					
				STEL: 150 ppm STEL: 560 mg/m³	
	Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
	Propylene glycol (57-55-6)	-	-	TWA: 10 mg/m³ aerosol only	-
				TWA: 50 ppm aerosol and vapor	
				TWA: 155 mg/m³ aerosol and vapor	
	Toluene (108-88-3)	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m³ Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m³ Skin

#### Appropriate engineering controls

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Not Applicable.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

**Respiratory Protection** Not applicable.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Appearance Off-white Liquid

Physical StateLiquidColorOff-whiteOdorLow Alcohol

Odor threshold No information available pH 5.3-6.0 @ 20 °C

pH 5.3-6.0 Melting point/freezing point 123 °C

Boiling Point/Range No information available

Flash point > 94 °C / > 201 °F Tag Closed Cup

Evaporation Rate
No information available
Flammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressure1 x 10-9 mm Hg at 25°CVapor densityNo information available

Density 10.07 lb/gal

**Specific gravity** 1.206 1.206 @ 20 °C (water = 1)

Water solubility Dispersible in water

**SDS #**: 1466-10-A

Revision date: 2016-05-26

Version 1.01

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available Oxidizing properties No data available Molecular weight No information available **Bulk density** No information available

## 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.

Chemical Stability Stable.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen

fluoride.

# 11. TOXICOLOGICAL INFORMATION

#### **Product Information**

**LD50 Oral** 2084 mg/kg (rat) **LD50 Dermal** 2080 mg/kg (rabbit)

LC50 Inhalation > 2.72 mg/L 4 hr (rat) - Maximum attainable concentration (zero mortality)

Serious eye damage/eye irritation Non-irritating.
Skin corrosion/irritation Minimally irritating.

**Sensitization** Did not cause sensitization on laboratory animals.

#### Information on toxicological effects

**Symptoms** Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions,

ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased

locomotion, lacrimation, nasal discharge, and squinting eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit,

and increased spleen weight and splenic extramedullary hematopoiesis at high doses in

animal studies

Mutagenicity Sulfentrazone: Not genotoxic in animal studies

Carcinogenicity Sulfentrazone: No evidence of carcinogenicity from animal studies

**Neurological effects**Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

dose levels.

**Reproductive toxicity**Sulfentrazone: No toxicity to reproduction in animal studies.

**Developmental toxicity**Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally

non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were

generated for sulfentrazone with toluene present as an impurity.

STOT - single exposure Not classified.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Target organ effects Sulfentrazone: Hematopoietic system.

Neurological effects Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

dose levels.

SDS #: 1466-10-A

Revision date: 2016-05-26

Version 1.01

**Aspiration hazard** No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		
108-88-3		-		

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

fentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

**Persistence and degradability**Sulfentrazone: Persistent, Does not readily hydrolyze, Not readily biodegradable.

**Bioaccumulation** Sulfentrazone: The substance does not have a potential for bioconcentration.

**Mobility** Sulfentrazone: Mobile, Has potential to reach ground water.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

**Contaminated Packaging**Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

# 14. TRANSPORT INFORMATION

**DOT** This material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Sulfentrazone.

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII,

Marine Pollutant

ICAO/IATA

UN/ID no UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII,

Marine Pollutant

IMDG/IMO

UN/ID no UN3082

Hazard class 9

**SDS #**: 1466-10-A **Revision date**: 2016-05-26

Version 1.01

Packing GroupIIIEmS No.F-A, S-FMarine PollutantSulfentrazone

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII,

Marine Pollutant

# 15. REGULATORY INFORMATION

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	X	X
Sodium Hydroxide 1310-73-2	1000 lb			X

## **CERCLA**

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene	1000 lb	
108-88-3	454 kg	
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	

## FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

# CAUTION

Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin. This pesticide is toxic to marine/estuarine invertebrates

# **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
---------------	---------------------

**SDS #**: 1466-10-A **Revision date**: 2016-05-26

Version 1.01

Toluene - 108-88-3	Developmental
--------------------	---------------

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	X		Х
Toluene 108-88-3	Х	Х	Х

## **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6	X	Х	X	Χ	Х	X	Х	X
Toluene 108-88-3	Х	Х	Х	Х	Х	Х	Х	Х

#### **Mexico - Grade**

Slight risk, Grade 1

Chemical name	Carcinogen Status	Mexico
Toluene		Mexico: TWA 50 ppm
		Mexico: TWA 188 mg/m <sup>3</sup>

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Toluene	1000	1000 kg/yr
	5000 kg/yr	

#### **WHMIS Statement**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### **WHMIS Hazard Class**

D2A - Very toxic materials



16. OTHER INFORMATION						
	T		T			
NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -		
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X		

**Revision date:** 2016-05-26

Reason for revision: (M)SDS sections updated

## **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be

**SDS #:** 1466-10-A **Revision date: 2016-05-26** 

Version 1.01

applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved. **End of Safety Data Sheet**