

PALM-JET MAGNESIUM

PALM NUTRITION

For Palm and Landscape Tree Injection Only.
Not Intended for Use as a Soil-Applied Fertilizer

PALM-jet Mg is specially formulated to inject into palms and landscape trees. PALM-jet Mg is a fertilizer to maintain green foliage, alleviate symptoms of Frizzle Top, and alleviate seasonal nutrient deficiencies. (Mg is an essential component of chlorophyll).

NPK GRADE: 1-2-2

GUARANTEED ANALYSIS:

Total Nitrogen (N)	1.0%
1.0% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	2.0%
Soluble Potash (K ₂ O).....	2.0%
Magnesium (Mg)	0.75%
Boron (B)	0.07%
Iron (Fe)	1.0%
Manganese (Mn)	2.2%
Zinc (Zn)	0.40%

Derived from: Urea, Mono-potassium phosphate, Potassium Hydroxide, Ferrous Sulfate, Manganese Sulfate, Magnesium sulfate, Zinc Sulfate and Boric Acid

F001813

KEEP OUT OF REACH OF CHILDREN

WARNING: This fertilizer contains boron, which may be injurious to certain crops. Contact your local county agent or field consultant for specific information.

NET CONTENTS: 1.06 QUARTS (1 LITER)

NET WEIGHT: 2.75 LBS. (1.25 KG)

Information regarding the content and levels of metals in this product is available on the internet at: www.aapfco.org/metals.htm

CAUTIONARY STATEMENTS

- Do not inject palms more than three times annually
- Do not inject trees during temperature extremes (<40F or >90F) or when those conditions are expected within the next 48 hours
- Avoid treating during conditions of high heat and humidity (high heat index)
- In summer, always use the lowest dose
- In Phoenix species, always use the lowest dose
- Not recommended for newly planted trees
- Do not treat herbicide damaged trees
- Do not inject trees within two weeks of any other spray or soil chemical treatment
- Drought stressed trees may take longer to inject
- Water trees first if drought stressed to improve uptake

NOTE: This product is NOT a pesticide

GENERAL DIRECTIONS

PALM-jet Mg is designed for use with the Arborjet Tree Injection Systems. It may be used with other injection devices that meet the application and label requirements. Follow equipment manufacturer's directions for use.

Treating Palms

Measure canopy spread then estimate height of clear trunk to determine the dose to apply in palms. Example: in palms with 12-24' of spread and 20-39' height (medium sized class), apply 10 mls PALM-jet Mg to non-native palms and Phoenix species, and 10-20 mls in native palm species. Dilutions: use as formulated when applying by micro-injection, dilute with 1-3 volumes of water when applying by micro-infusion.

Treating Hardwoods

Diameter at Breast Height is used for applications in hardwood trees, including Live Oak trees. If measuring circumference, divide by 3.14 to determine DBH. Refer to the Hardwood Tree Rates Table for dosages to apply. When using micro-injection, apply as formulated; when using micro-infusion, dilute in 1-3 volumes of water. Inject every 6" around the lower trunk circumference, applying 8 mls of PALM-jet Mg per injection site.

APPLICATION & USES

Iron and manganese deficiencies are often associated with calcareous, arid or sandy soil conditions affecting seasonal growth in palms. Useful in palms and landscape trees where iron and manganese deficiencies are difficult to control by foliar or soil applications. Use to promote green foliage.

Treatment Uses

Iron and Manganese
Deficiencies
Nutrient Deficiencies
Leaf Yellowing
Interveinal Chlorosis
Alkaline Soils
Sandy Soils
Arid Soil Conditions

Conditions

Alkaline Soils
Sandy Soils
Arid Soil Conditions

For optimum results, treat trees prior to new growth. Systemic activity occurs when PALM-jet Mg moves upward into the crown where it is utilized for new frond growth. Treatments will aid in the development of green fronds. Older fronds are unlikely to recover from severe nutrient deficiencies.

CLEAN-UP

IMPORTANT! It is critical to rinse the Arborjet Tree Injection System thoroughly after use. Use CLEAN-jet or warm soapy water; rinse clean with isopropyl alcohol. Residues left in the device may gum, clog or corrode the internal components.

COMPATIBILITY

PALM-jet Mg is intended to be used alone. Do not mix with or apply into trees with any other formulation, including pesticides.

RESTRICTIONS

Keep away from children
Keep away from heat and open flame

APPLICATION RATES

Palm Rates:

Use: Inject as formulated or dilute with 1 - 3 volumes of water

Summer Use: always use lowest dose listed

* In Canary Palms (*Phoenix canariensis*) and other Phoenix species, always use the lowest dose listed

Plant Size Class	Plant Size (Canopy Spread)	Trunk Height Range (ft.)	PALM-jet Dose (mLs)/Palm
Small	6 - 12'	5 - 19'	5 - 10
Medium	12 - 24'	20 - 39'	10 - 20
Large	24 - 48'	40 - 100'	20 - 30

Use both canopy spread and trunk height to determine size class for application rate.

Mix only what you intend to use per tree, or use within 24 hours of mixing. Only 1 injection site is generally required.

Hardwood Tree Rates (including Live Oaks):

Spring and Fall Use: as formulated or dilute with 1 - 3 volumes of water

Summer Use: as formulated

DBH"	PALM-jet Mg Dose (mls) / Tree
3 - 6"	24
7 - 9"	32
10 - 11"	40
12 - 13"	48
14 - 15"	56
16 - 17"	64
18 - 19"	72
20 - 21"	80
22 - 23"	88
24 - 25"	96

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal
Keep from freezing. Store in a cool, dry place

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Dispose of empty bottles by triple rinsing and offering for recycling.

NOTICE OF WARRANTY

ARBORJET, Inc makes no warranty of fitness of this product for any other purpose, beyond its uses under normal conditions in keeping with the statements made on this label.

ARBORJET, Inc.
99 Blueberry Hill Road
Woburn, MA 01801
781-935-9070
www.arborjet.com

