SAFETY DATA SHEET



1. Identification

Product identifier Lesco Greenflo 18-3-6

Other means of identification

Product code 32178

Turf- fertilizer Recommended use

Recommended restrictions Refer to product label. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Brandt Consolidated, Inc. Company name 2935 South Koke Mill Road **Address**

Springfield, IL 62711

United States

Corporate Office 1-217-547-5800 **Telephone**

Website www.brandt.co msds@brandt.co E-mail

EH&S / Regulatory Department **Contact person**

Emergency phone number CHEMTREC (24 hours):

> USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Sensitization, skin Category 1B **Health hazards**

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

May cause an allergic skin reaction. **Hazard statement**

Precautionary statement

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Prevention If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

Take off contaminated clothing and wash it before reuse.

Store away from incompatible materials. **Storage**

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	20 - < 30*
Tetrapotassium Pyrophosphate		7320-34-5	5 - < 10*
Ferric Ammonium EDTA		21265-50-9	< 1*

Material name: Lesco Greenflo 18-3-6 SDS US 1/8

Chemical name	Common name and synonyms	CAS number	%
Ammonia		7664-41-7	< 0.1*
Ammonium Hydroxide		1336-21-6	< 0.1*
Other components below re	eportable levels		60 - < 70

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantMay cause an allergic skin reaction. Dermatitis. Rash.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe

good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	for Air Contaminants (29 CFR 1910.1000) Type	Value	
Ammonia (CAS 7664-41-7)	PEL	35 mg/m3	
		50 ppm	
Ammonium Hydroxide (CAS 1336-21-6)	PEL	35 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	
Ammonia (CAS 7664-41-7)	STEL	35 ppm	
	TWA	25 ppm	
Ammonium Hydroxide (CAS 1336-21-6)	STEL	35 ppm	
	TWA	25 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
Ammonia (CAS 7664-41-7)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
Ammonium Hydroxide (CAS 1336-21-6)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
US Workplace Environmen	tal Exposure Level (WEEL) Guides		
Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
Olea (CAS 57-13-0)			
ogical limit values	No biological exposure limits noted for the	e ingredient(s).	
,	No biological exposure limits noted for the Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen established, maintain airborne levels to an	Ventilation rates should be exhaust ventilation, or other ded exposure limits. If ex	ner engineering controls to
ogical limit values propriate engineering trols	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen	Ventilation rates should be exhaust ventilation, or other ded exposure limits. If ex	ner engineering controls to
ogical limit values propriate engineering trols	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen established, maintain airborne levels to an	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If example acceptable level.	ner engineering controls to posure limits have not been
ogical limit values propriate engineering trols vidual protection measures,	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen established, maintain airborne levels to as such as personal protective equipment	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If example acceptable level.	ner engineering controls to posure limits have not been
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen established, maintain airborne levels to as such as personal protective equipment	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If expression acceptable level. goggles). Face shield is represented the second control of the se	ner engineering controls to posure limits have not been
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to as such as personal protective equipment. Wear safety glasses with side shields (or	Ventilation rates should be exhaust ventilation, or other ded exposure limits. If explain acceptable level. goggles). Face shield is researched.	ner engineering controls to posure limits have not been ecommended.
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection Other	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to as such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove)	Ventilation rates should be exhaust ventilation, or other ded exposure limits. If exposure limits is represented in the limits in the limits and limits lim	ner engineering controls to posure limits have not been ecommended.
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen established, maintain airborne levels to as such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If explain acceptable level. goggles). Face shield is respectively.	ner engineering controls to posure limits have not been ecommended.
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to as such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth. In case of insufficient ventilation, wear suited.	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If exposure limits. If exposure limits. If exposure limits. If exposure limits are exposured in a comparation of the comparat	ner engineering controls to posure limits have not been ecommended. s apron is recommended. ent. g after handling the materia clothing and protective
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards peral hygiene	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to an such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth. In case of insufficient ventilation, wear suit Wear appropriate thermal protective cloth. Always observe good personal hygiene mand before eating, drinking, and/or smoking equipment to remove contaminants. Contworkplace.	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If exposure limits. If exposure limits. If exposure limits. If exposure limits are exposured in a comparation of the comparat	ner engineering controls to posure limits have not been ecommended. s apron is recommended. ent. g after handling the materia clothing and protective
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards heral hygiene siderations	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to an such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth. In case of insufficient ventilation, wear suit Wear appropriate thermal protective cloth. Always observe good personal hygiene mand before eating, drinking, and/or smoking equipment to remove contaminants. Contworkplace.	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If exposure limits. If exposure limits. If exposure limits. If exposure limits are exposured in a comparation of the comparat	ner engineering controls to posure limits have not been ecommended. s apron is recommended. ent. g after handling the materia clothing and protective
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards peral hygiene siderations Physical and chemical	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to as such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth. In case of insufficient ventilation, wear suit Wear appropriate thermal protective cloth. Always observe good personal hygiene mand before eating, drinking, and/or smoking equipment to remove contaminants. Contworkplace.	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If exposure limits. If exposure limits. If exposure limits. If exposure limits are exposured in a comparation of the comparat	ner engineering controls to posure limits have not been ecommended. s apron is recommended. ent. g after handling the material clothing and protective
ogical limit values propriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards peral hygiene siderations Physical and chemical pearance	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to an such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth. In case of insufficient ventilation, wear suit Wear appropriate thermal protective cloth. Always observe good personal hygiene mand before eating, drinking, and/or smoking equipment to remove contaminants. Contworkplace.	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If exposure limits. If exposure limits. If exposure limits. If exposure limits are exposured in a comparation of the comparat	ner engineering controls to posure limits have not been ecommended. s apron is recommended. ent. g after handling the materia clothing and protective
ogical limit values ropriate engineering rols vidual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards eral hygiene siderations Physical and chemical pearance Physical state	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recomment established, maintain airborne levels to an such as personal protective equipment. Wear safety glasses with side shields (or Wear appropriate chemical resistant glove Wear appropriate chemical resistant cloth. In case of insufficient ventilation, wear suit Wear appropriate thermal protective cloth. Always observe good personal hygiene mand before eating, drinking, and/or smoking equipment to remove contaminants. Contworkplace. properties Liquid. Liquid.	Ventilation rates should be exhaust ventilation, or othe ded exposure limits. If exposure limits. If exposure limits. If exposure limits. If exposure limits are exposured in a comparation of the comparat	ner engineering controls to posure limits have not been ecommended. s apron is recommended. ent. g after handling the materia clothing and protective

Odor

Not available.

Odor threshold Not available.

pH 10.5

Melting point/freezing point 270.86 °F (132.7 °C) estimated Initial boiling point and boiling 212 °F (100 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 1.249 g/cm3 (typical)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile 47.29 % estimated

Pounds per gallon 10.42 lb/gal (typical)

VOC 12.05 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contactKnowledge about health hazard is incomplete.IngestionKnowledge about health hazard is incomplete.

Symptoms related to the physical, chemical and toxicological characteristics

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results	
_esco Greenflo 18-3-6			
<u>Acute</u>			
Dermal			
LD50	Rabbit	54290 mg/kg	
Oral			
LD50	Rabbit	13850 mg/kg	
Components	Species	Test Results	
Ammonia (CAS 7664-41-7)			
Acute			
Inhalation	Maria	2 20 4 11	
LC50	Mouse	3.36 mg/l, 1 Hours	
		3.31 mg/l, 2 Hours	
	Rat	4000 ppm, 1 Hours	
		2000 ppm, 4 Hours	
		5.1 mg/l, 1 Hours	
Oral			
LD50	Rat	350 mg/kg	
Ammonium Hydroxide (CAS 1336	i-21-6)		
<u>Acute</u>			
Oral	D.J.	050	
LD50	Rat	350 mg/kg	
Jrea (CAS 57-13-6)			
Acute			
Oral LD50	Rat	9471 mg/kg	
		8471 mg/kg	
Skin corrosion/irritation Serious eye damage/eye	Due to partial or complete lack of data the Due to partial or complete lack of data the	•	
rritation			
Respiratory or skin sensitization		a alassification is not possible	
Respiratory sensitization Skin sensitization	Due to partial or complete lack of data the	e classification is not possible.	
Germ cell mutagenicity	May cause an allergic skin reaction. Due to partial or complete lack of data the	o classification is not possible	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		
Not listed.	Evaluation of Carcinogenicity		
	ed Substances (29 CFR 1910.1001-1053)		
Not listed.	,		
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	Due to partial or complete lack of data the	·	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the	e classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the	e classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the	e classification is not possible.	
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	·		
12. Ecological illiolillation	1		

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Lesco Greenflo 18-3-6			
Aquatic			
Crustacea	EC50	Daphnia	20807.0547 mg/l, 48 hours estimated
Fish	LC50	Fish	31552.9609 mg/l, 96 hours estimated
Components		Species	Test Results
Ammonia (CAS 7664-41	-7)		
Aquatic			
Fish	LC50	Chinook salmon (Oncorhynchus tshawytscha)	0.43 - 0.47 mg/l, 96 hours
Ammonium Hydroxide (C	CAS 1336-21-6)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	15 mg/l, 96 hours
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ammonia (CAS 7664-41-7) Listed. Ammonium Hydroxide (CAS 1336-21-6) Listed.

SARA 304 Emergency release notification

AMMONIA (CAS 7664-41-7) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---	--------------------------------------	---	--

7664-41-7 100 500 Ammonia Yes

SARA 311/312 Hazardous

chemical

Classified hazard

Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

categories

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia (CAS 7664-41-7)

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Ammonia (CAS 7664-41-7)

International Inventories

Country(s) or region	Inventory name On inve	ntory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the governing cou	ntry(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

Issue date 08-05-2020

Version #

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's Disclaimer

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Material name: Lesco Greenflo 18-3-6