



**Bayer CropScience**

Bayer Environmental Science, a Division of  
Bayer CropScience, LP  
P.O. Box 12014  
2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709  
1-866-99BAYER (1-866-992-2937)

## **Premise Pro<sup>®</sup> Insecticide**

**For the Control of the occasional Fall-Invader species of outdoor pests.**

**EPA Reg. No. 432-1449**

### ***FIFRA 2(ee) Recommendation***

**FOR DISTRIBUTION AND USE ONLY IN THE STATES OF ALABAMA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, IDAHO ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, MICHIGAN, MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA, NEW JERSEY, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA, SOUTH DAKOTA, TENNESSEE, UTAH, VERMONT, VIRGINIA, WASHINGTON, WEST VIRGINIA, WISCONSIN AND WYOMING**

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

#### **DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product inconsistent with its labeling. The user must refer to the federally approved label for Premise Pro Insecticide and read and follow all directions for use, restrictions, and precautions.**

**This product is highly toxic to bees exposed to direct treatment or residues on blooming crops/plants or weeds. Do not apply this product or allow it to drift to blooming crops/plants or weeds if bees are foraging the treatment area.**

**Do not apply this product, by any application method, to linden, basswood, or other Tilia species.**

#### **APPLICATION FOR OUTDOOR/PERIMETER PESTS:**

Occasional/fall invaders including multi-colored Asian lady beetle, elm leaf beetle, boxelder bug, cluster flies, brown marmorated stink bug and globular stink bug (kudzu bug).

Begin treatments in late summer or fall, just before these pests begin migrating to winter shelter. Apply low pressure (do not exceed 50 psi at nozzle tip) mist or spray to exterior surfaces of buildings, porches, patios, garages, fences, and other surfaces where these pests are congregated or may enter the structure. Spray siding, eaves, around windows and doors, and window screens. Applications may be made as a general surface, spot or crack and crevice treatment.

Apply directly to insects that have congregated around doors, windows and similar areas where they may enter the structure. To help reduce infestations, treat cracks and crevices, attics and other winter hiding places located inside buildings.

High volume applications using power sprayers: You must adjust the rate of product dilution to ensure that 0.125 fl. oz. (4 ml) of this product is applied per 1,000 square feet of treated surface. For example, mixing 2.1 fluid ounces of this product in a 50 gallon tank, while using an application volume of 3.0 gallons per 1,000 square feet, will apply 0.125 fluid ounces of this product per 1,000 square feet. The table below gives examples of end use dilutions for typical power spraying application volumes.

**DILUTION RATE CHART**

<b>AMOUNT OF Product Fluid Ounces (milliliter)</b>	<b>Application Volume (gallons of water)</b>	<b>Concentration (% AI) In Spray Solution</b>
<b>0.125 (4 mL)</b>	<b>1</b>	<b>0.05%</b>
	<b>2</b>	<b>0.025%</b>
	<b>3</b>	<b>0.017%</b>
	<b>4</b>	<b>0.013%</b>
	<b>5</b>	<b>0.001</b>

### **When to Apply**

Begin applications when pests are noticed. Treatments may be applied at monthly intervals.

#### **Note:**

For control of ants in houses and other structures, apply a 0.05 to 0.1% solution as a general surface, spot, crack and crevice or wall void application. Apply to surfaces on buildings, porches, patios and other structures, around doors and windows, eaves and attic vents, utility entry points, soffit areas and other exterior openings (including foundation cracks or drilled holes) where these pests enter the structure or where they crawl or hide. Spray into cracks and crevices.

Maximum application is once per month to maintain control.

**For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577  
For PRODUCT USE Information, Call 1-866-99BAYER (1-866-992-2937)**

*As with any crop-protection product, always read and follow label directions.  
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*