

SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SUSPEND® SC INSECTICIDE

Product code (UVP) 85373676

SDS Number 102000032681

EPA Registration No. 432-763

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

Hazardous Component Name CAS-No. Concentration % by weight

Deltamethrin 52918-63-5 4.75

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO2), Dry chemical, Foam, Water

Unsuitable High volume water jet

Special hazards arising

from the substance or

mixture

Advice for firefighters

Special protective

equipment for firefighters

Dangerous gases are evolved in the event of a fire.

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

Further information Evacuate personnel to safe areas. Keep out of smoke. Fight fire from

upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water

courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point No data available No data available **Auto-ignition temperature** Lower explosion limit No data available Upper explosion limit No data available **Explosivity** Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental regulations. Decontaminate tools and equipment following cleanup.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Handle and open container

> in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Smoking, eating and drinking should be prohibited in the application

area. Wash hands thoroughly with soap and water after handling and



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

before eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection

products, fertilizers, food, and feed. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves made of waterproof material such as

neoprene, butyl rubber, barrier laminate or nitrile rubber.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Eye wash facility and safety shower should be available.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension



SUSPEND® SC INSECTICIDE

Version 4.0 / USA 102000032681

Revision Date: 09/21/2022 Print Date: 09/24/2022

Colour white

Odour characteristic

Odour Threshold No data available

pН <= 7.0 (100 %) (23 °C)

No data available Melting point/range

Boiling Point

No data available

Flash point No data available **Flammability** No data available **Auto-ignition temperature** No data available Thermal decomposition No data available

Minimum ignition energy Not applicable **Self-accelarating** No data available

decomposition temperature (SADT)

Upper explosion limit No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available 1.05 g/cm3 (20 °C) **Density**

Water solubility immiscible

Partition coefficient: noctanol/water

Deltamethrin: log Pow: 6.4 (25 °C)

Viscosity, dynamic 1,200 - 1,800 cps (25 °C)

Viscosity, kinematic No data available **Oxidizing properties** No data available **Explosivity** Not applicable



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong oxidizing agents, Strong reducing agents

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Skin contact, Eye contact, Ingestion

Immediate Effects

Eye Not expected to produce significant adverse effects when

recommended use instructions are followed.

SkinContact with product may result in transient tingling and reddening of

the skin.

Ingestion Not expected to produce significant adverse effects when

recommended use instructions are followed.

Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 15,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.02 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rabbit) > 10,000 mg/kg

Skin corrosion/irritation slight irritation (Rabbit)

Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The



SUSPEND® SC INSECTICIDE

 Version 4.0 / USA
 Revision Date: 09/21/2022

 102000032681
 Print Date: 09/24/2022

toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

Deltamethrin 52918-63-5 Overall evaluation: 3

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 0.0131 μg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic plants EC50 (algae) > 9.1 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Biodegradability Deltamethrin:

Not rapidly biodegradable



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

Koc Deltamethrin: Koc: 10240000

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

Mobility in soil Deltamethrin: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DELTAMETHRIN SOLUTION)

IATA

UN number 3082



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DELTAMETHRIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-763

US Federal Regulations

TSCA list

Water 7732-18-5 1,2-Propanediol 57-55-6 Butoxypolyethylene-/propylene glycol 9038-95-3

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Pyrogenic (fumed) amorphous silica 112945-52-5 CA, CT, MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:



SUSPEND® SC INSECTICIDE

Version 4.0 / USA Revision Date: 09/21/2022 102000032681 Print Date: 09/24/2022

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if inhaled.

Contact with product may result in transient tingling and reddening

of the skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 09/21/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.



SUSPEND® SC INSECTICIDE

Version 4.0 / USA 102000032681

Revision Date: 09/21/2022 Print Date: 09/24/2022

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.