SAFETY DATA SHEET PURGE® III INSECTICIDE

SDS #: 6586-A Revision date: 2021-02-16

Format: NA

Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name PURGE® III INSECTICIDE

Formula code 50001565

Other means of identification

Product Code(s) 6586-A

Synonyms PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole,

5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-;

, N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE: N-(2-ethylhexyl)-5-norbornene-2,3-dicarboximide;

N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide;

, Pyrethrins

Active Ingredient(s) Piperonyl Butoxide, n-Octyl bicycloheptene dicarboximide, Pyrethrins

PCP # 30616

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

SDS #: 6586-A **Revision date**: 2021-02-16

Version 1.05

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Aspiration toxicity	Category 1
Flammable Aerosols	Category 2
Gases Under Pressure	Compressed Gas

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H304 - May be fatal if swallowed and enters airways

H332 - Harmful if inhaled

Physical Hazards

H223 - Flammable aerosol

H280 - Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

Precautionary Statements - Storage

P405 - Store locked up

P410 + P403 - Protect from sunlight. Store in a well-ventilated place

P412 - Do not expose to temperatures exceeding 50 °C/ 122 °F

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
1,1-Difluoroethane	75-37-6	40-50
Petroleum distillates, hydrotreated light	64742-47-8	30-40
Petroleum gases, liquified, sweetened	68476-86-8	10-20
n-Octyl bicycloheptene dicarboximide	113-48-4	3.05

SDS #: 6586-A

Revision date: 2021-02-16

Version 1.05

Piperonyl butoxide	51-03-6	1.95
Pyrethrins	8003-34-7	0.975

Synonyms are provided in Section 1.

4. FI	RST	AID	MEA	۱SU	RES
-------	-----	-----	-----	-----	-----

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye, Call a poison

control center or doctor for further treatment advice.

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 **Skin Contact**

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO₂), Foam, Dry chemical, Water spray.

Specific Hazards Arising from the

Chemical

Contents under pressure.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Protective equipment and precautions for firefighters No information available. No information available.

Isolate fire area. Evaluate upwind. In the event of fire, wear self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize Methods for cleaning up

> spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Rinsate may be disposed at a waste water treatment plant.

SDS #: 6586-A Revision date: 2021-02-16

Version 1.05

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on

flames or red-hot objects.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products Strong oxidizing agents. Bases. Powdered earth metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pyrethrins (8003-34-7)	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 5000 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 5 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates, hydrotreated light (64742-47-8)	TWA: 200 mg/m³ Skin	-	-	-
Pyrethrins (8003-34-7)	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Rubber/latex/neoprene or other suitable chemical resistant gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Clear, Aerosolized liquid

PURGE® III INSECTICIDE

SDS #: 6586-A

Revision date: 2021-02-16 Version 1.05

Physical State Aerosol Liquid

Color Clear

Odor No information available No information available **Odor threshold** No information available Ha

Not applicable Melting point/freezing point

No information available **Boiling Point/Range**

> 85 °C / > 185 °F (8-inch Flame Extension) Flash point No information available

No information available

Evaporation Rate Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Relative density 6.9 lb/gal

No information available Specific gravity No information available Water solubility Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature** No information available **Decomposition temperature** Viscosity, kinematic No information available No information available Viscosity, dynamic No information available **Explosive properties** Oxidizing properties No information available Molecular weight No information available **Bulk density** No information available

10. STABILITY AND REACTIVITY

None under normal use conditions. Reactivity

Stable under recommended storage conditions. **Chemical Stability**

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Strong oxidizing agents. Bases. Powdered earth metals. Incompatible materials

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen fluoride, Carbonyl fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 2140 mg/kg (rat) **LD50 Dermal** > 2000 mg/kg (rabbit) LC50 Inhalation (dust) 2.5 mg/L 4 hr

Serious eye damage/eye irritation Slightly or non-irritating (rabbit). Skin corrosion/irritation Slightly or non-irritating (rabbit).

Sensitization Non-sensitizing.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
n-Octyl bicycloheptene dicarboximide	= 2800 mg/kg(Rat)	= 470 mg/kg (Rabbit)= 470 mg/kg (Rat)	

SDS #: 6586-A **Revision date**: 2021-02-16

Version 1.05

(113-48-4)			
Piperonyl butoxide	= 4570 mg/kg (Rat)= 6150	= 1880 mg/kg (Rabbit)> 7950	> 5.9 mg/L (Rat)4 h
(51-03-6)	mg/kg(Rat)	mg/kg (Rat)	
Pyrethrins	= 200 mg/kg (Rat)	= 1350 mg/kg (Rat) = 2060	= 3.4 mg/L (Rat)4 h
(8003-34-7)		mg/kg(Rabbit)= 300 mg/kg	
		(Rabbit)	

Information on toxicological effects

Symptoms

Carcinogenicity

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

No information available.

Not classified.

Reproductive toxicity STOT - single exposure STOT - repeated exposure

STOT - repeated exposure Not classified.

Target organ effects

Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight

and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group

showed preneoplastic changes, including enlargement of hepatocyte nuclei and

multinucleated cells. Kidney damage was also seen.

Aspiration hazard Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl butoxide 51-03-6		Group 3		
Pyrethrins 8003-34-7		Group 2A		

Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION

Ecotoxicity

Piperonyl butoxide (51-03-6)				
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	μg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Petroleum distillates, hydrotreated		96 h LC50: = 2.2 mg/L (Lepomis	96 h LC50: = 4720 mg/L
light		macrochirus) static 96 h LC50: = 2.4	(Den-dronereides heteropoda)
64742-47-8		mg/L (Oncorhynchus mykiss) static	
		96 h LC50: = 45 mg/L (Pimephales	
		promelas) flow-through	
Piperonyl butoxide		96 h LC50: = 7.07 mg/L	
51-03-6		(Oncorhynchus mykiss) semi-static	
Pyrethrins		96 h LC50: 0.003 - 0.0046 mg/L	
8003-34-7		(Lepomis macrochirus) flow-through	
		96 h LC50: 0.0031 - 0.0038 mg/L	
		(Oncorhynchus mykiss)	

SDS #: 6586-A

Revision date: 2021-02-16 Version 1.05

flow-through 96 h LC50: 0.02 -
0.03 mg/L (Oncorhynchus mykiss)
static 96 h LC50: 0.0322 - 0.0472
mg/L (Lepomis macrochirus) static
96 h LC50: 0.0425 - 0.121 mg/L
(Pimephales promelas) flow-through
96 h LC50: 0.224 - 0.458 mg/L
(Pimephales promelas) static 96 h
LC50: = 0.054 mg/L (Oncorhynchus
mykiss) 96 h LC50: = 0.074 mg/L
(Lepomis macrochirus)

Persistence and degradability

No information available.

Bioaccumulation

No information available.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

No information available.

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Mobility

Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.

Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.

Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows. UN1950

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
EmS No. F-D, S-U

Description UN1950, Aerosols, 2.1, Limited Quantity

SDS #: 6586-A **Revision date**: 2021-02-16

Version date: 2021-02-10

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Piperonyl butoxide - 51-03-6	51-03-6	1.95	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

	Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
	Pyrethrins	1 lb			
١	8003-34-7				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrins	1 lb	
8003-34-7	0.454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Contains petroleum distilliate. Harmful if absorbed through the skin.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,1-Difluoroethane 75-37-6	X	X	
Piperonyl butoxide 51-03-6	X		
Pyrethrins 8003-34-7	X	X	X

SDS #: 6586-A Revision date: 2021-02-16

Version 1.05

International Inventories

Chemical name	١,	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
1,1-Difluoroethane 75-37-6	States) X	Х	Х	Х	X	Х	X	X
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	Х		Х	Х	Х	Х
Petroleum gases, liquified, sweetened 68476-86-8	X	Х	X		X	X	Х	Х
n-Octyl bicycloheptene dicarboximide 113-48-4		X	X	Х	X		Х	Х
Piperonyl butoxide 51-03-6	Х	Х	Х	Х	Х	Х	Х	Х
Pyrethrins 8003-34-7		Х	Х		Х	Х	Х	Х

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 3	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 3	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-02-16

Reason for revision: SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

PURGE® III INSECTICIDE

SDS #: 6586-A **Revision date**: 2021-02-16

Version 1.05

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved. End of Safety Data Sheet